

Rittal – The System.

Including elnumbers

Faster – better – everywhere.

AX. KX. The new ones.

Compact and small enclosures in stainless steel



ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP

Conversion aid – AX/KX, stainless steel

Art.No.	El.No.	Designation	W x H x D mm	Art.No. NEW	El.No. NEW	NEW designation	W x H x D mm
1521.010	2430824	Terminal box KL, stainless steel 1.4301	150 x 150 x 80	1560.000	2436706	Terminal box KX, stainless steel 1.4301	150 x 150 x 80
1522.010	2432500	Terminal box KL, stainless steel 1.4301	300 x 150 x 80	1561.000	2436708	Terminal box KX, stainless steel 1.4301	300 x 150 x 80
1523.010	2432501	Terminal box KL, stainless steel 1.4301	200 x 200 x 80	1562.000	2436710	Terminal box KX, stainless steel 1.4301	200 x 200 x 80
1524.010	2432502	Terminal box KL, stainless steel 1.4301	300 x 200 x 80	1563.000	2436712	Terminal box KX, stainless steel 1.4301	300 x 200 x 80
1527.010	-	Terminal box KL, stainless steel 1.4301	150 x 150 x 120	1564.000	2436714	Terminal box KX, stainless steel 1.4301	150 x 150 x 120
1528.010	-	Terminal box KL, stainless steel 1.4301	200 x 200 x 120	1565.000	2436716	Terminal box KX, stainless steel 1.4301	200 x 200 x 120
1529.010	-	Terminal box KL, stainless steel 1.4301	300 x 200 x 120	1566.000	2436718	Terminal box KX, stainless steel 1.4301	300 x 200 x 120
1526.010	2432504	Terminal box KL, stainless steel 1.4301	300 x 300 x 120	1567.000	2436720	Terminal box KX, stainless steel 1.4301	300 x 300 x 120
1525.010	2432503	Terminal box KL, stainless steel 1.4301	400 x 200 x 120	1568.000	2436722	Terminal box KX, stainless steel 1.4301	400 x 200 x 120
1530.010	-	Terminal box KL, stainless steel 1.4301	400 x 300 x 120	1569.000	2436724	Terminal box KX, stainless steel 1.4301	400 x 300 x 120
1583.010	2432531	Bus enclosure BG, stainless steel 1.4301	200 x 300 x 80	1584.000 ¹⁾	2436742 ¹⁾	E-Box KX, stainless steel 1.4301	200 x 300 x 120
1558.010	2432513	Bus enclosure BG, stainless steel 1.4301	400 x 200 x 123	1585.000	2436743	Bus enclosures KX, stainless steel	400 x 200 x 120
1559.010	2432516	Bus enclosure BG, stainless steel 1.4301	600 x 200 x 123	1586.000	2436744	Bus enclosures KX, stainless steel	600 x 200 x 120
1584.010	2432534	Bus enclosure BG, stainless steel 1.4301	300 x 300 x 80	1585.000 ¹⁾	2436743 ¹⁾	Bus enclosure KX, stainless steel	400 x 200 x 120
1585.010	2432537	Bus enclosure BG, stainless steel 1.4301	400 x 400 x 80	1586.000 ¹⁾	2436744 ¹⁾	Bus enclosure KX, stainless steel	600 x 200 x 120
1001.600	2430232	Compact enclosure AE, stainless steel 1.4301, single-door	200 x 300 x 120	1584.000 ²⁾	2436742 ²⁾	E-Box KX, stainless steel 1.4301	200 x 300 x 120
1002.600	2430340	Compact enclosure AE, stainless steel 1.4301, single-door	200 x 300 x 155	1587.000 ²⁾	2436745 ²⁾	E-Box KX, stainless steel 1.4301	200 x 300 x 155
1004.600	2430341	Compact enclosure AE, stainless steel 1.4301, single-door	380 x 300 x 155	1588.000 ²⁾	2436746 ²⁾	E-Box KX, stainless steel 1.4301	380 x 300 x 155
1002.500	-	Compact enclosure AE, stainless steel 1.4404, single-door	200 x 300 x 155	1301.000 ²⁾	2436649 ²⁾	E-Box KX, stainless steel 1.4301	200 x 300 x 155
1003.600	2430801	Compact enclosure AE, stainless steel 1.4301, single-door	300 x 300 x 210	1003.000	2436600	Compact enclosure AX, stainless steel 1.4301, single-door	300 x 300 x 210
1005.600	2432400	Compact enclosure AE, stainless steel 1.4301, single-door	300 x 380 x 210	1005.000	2436601	Compact enclosure AX, stainless steel 1.4301, single-door	300 x 380 x 210
1011.600	2430802	Compact enclosure AE, stainless steel 1.4301, single-door	380 x 300 x 210	1011.000	2436607	Compact enclosure AX, stainless steel 1.4301, single-door	380 x 300 x 210
1006.600	2430342	Compact enclosure AE, stainless steel 1.4301, single-door	380 x 380 x 210	1006.000	2436602	Compact enclosure AX, stainless steel 1.4301, single-door	380 x 380 x 210
1008.600	2430343	Compact enclosure AE, stainless steel 1.4301, single-door	380 x 600 x 210	1008.000	2436604	Compact enclosure AX, stainless steel 1.4301, single-door	380 x 600 x 210
1015.600	2430803	Compact enclosure AE, stainless steel 1.4301, single-door	400 x 500 x 210	1015.000	2436611	Compact enclosure AX, stainless steel 1.4301, single-door	400 x 500 x 210
1007.600	2432401	Compact enclosure AE, stainless steel 1.4301, single-door	500 x 500 x 210	1007.000	2436603	Compact enclosure AX, stainless steel 1.4301, single-door	500 x 500 x 210
1009.600	2432403	Compact enclosure AE, stainless steel 1.4301, single-door	600 x 380 x 210	1009.000	2436605	Compact enclosure AX, stainless steel 1.4301, single-door	600 x 380 x 210
1010.600	2430344	Compact enclosure AE, stainless steel 1.4301, single-door	600 x 600 x 210	1010.000	2436606	Compact enclosure AX, stainless steel 1.4301, single-door	600 x 600 x 210
1012.600	2430345	Compact enclosure AE, stainless steel 1.4301, single-door	600 x 760 x 210	1012.000	2436608	Compact enclosure AX, stainless steel 1.4301, single-door	600 x 760 x 210
1013.600	-	Compact enclosure AE, stainless steel 1.4301, single-door	500 x 500 x 300	1013.000	2436609	Compact enclosure AX, stainless steel 1.4301, single-door	500 x 500 x 300
1014.600	2430346	Compact enclosure AE, stainless steel 1.4301, single-door	760 x 760 x 300	1014.000	2436610	Compact enclosure AX, stainless steel 1.4301, single-door	760 x 760 x 300
1016.600	2430347	Compact enclosure AE, stainless steel 1.4301, single-door	800 x 1000 x 300	1016.000	2436612	Compact enclosure AX, stainless steel 1.4301, single-door	800 x 1000 x 300
1017.600	2432404	Compact enclosure AE, stainless steel 1.4301, single-door	800 x 1200 x 300	1017.000	2436613	Compact enclosure AX, stainless steel 1.4301, single-door	800 x 1200 x 300
1018.600	2432405	Compact enclosure AE, stainless steel 1.4301, 2-door	1000 x 1000 x 300	1018.000	2436614	Compact enclosure AX, stainless steel 1.4301, 2-door	1000 x 1000 x 300
1019.600	2432406	Compact enclosure AE, stainless steel 1.4301, 2-door	1000 x 1200 x 300	1019.000	2436615	Compact enclosure AX, stainless steel 1.4301, 2-door	1000 x 1200 x 300
1005.500	-	Compact enclosure AE, stainless steel 1.4404, 1-door	300 x 380 x 210	1302.000	2436650	Compact enclosure AX, stainless steel 1.4404, 1-door	300 x 380 x 210
1006.500	-	Compact enclosure AE, stainless steel 1.4404, 1-door	380 x 380 x 210	1303.000	2436651	Compact enclosure AX, stainless steel 1.4404, 1-door	380 x 380 x 210
1010.500	-	Compact enclosure AE, stainless steel 1.4404, 1-door	600 x 600 x 210	1304.000	2436652	Compact enclosure AX, stainless steel 1.4404, 1-door	600 x 600 x 210
1019.500	-	Compact enclosure AE, stainless steel 1.4404, 2-door	1000 x 1200 x 300	1305.000	2436653	Compact enclosure AX, stainless steel 1.4404, 2-door	1000 x 1200 x 300

¹⁾ Please note the changed dimensions/enclosure type of the new article.


²⁾ The enclosure platform and type have changed.

Conversion aid – AX/KX, stainless steel – accessories

Art.No.	El.No.	Designation	Art.No. NEW	El.No. NEW	NEW designation
2361.000	-	Rain canopy, for AE stainless steel version, for enclosure with W x D 300 x 210 mm	2361.010	2436764	Protective roof for AX, W x D 300 x 210 mm, stainless steel
2362.000	-	Rain canopy, for AE stainless steel version, for enclosure with W x D 500 x 210 mm	2362.010	2436765	Protective roof for AX, W x D 500 x 210 mm, stainless steel
2363.000	-	Rain canopy, for AE stainless steel version, for enclosure with W x D 1000 x 300 mm	2363.010	2436766	Protective roof for AX, W x D 1000 x 300 mm, stainless steel
2472.000	2430375	Rain canopy, for AE stainless steel version, for enclosure with W x D 380 x 210 mm	2472.010	2436779	Protective roof for AX, W x D 380 x 210 mm, stainless steel
2473.000	2430376	Rain canopy, for AE stainless steel version, for enclosure with W x D 600 x 210 mm	2473.010	2436780	Protective roof for AX, W x D 600 x 210 mm, stainless steel
2474.000	2430377	Rain canopy, for AE stainless steel version, for enclosure with W x D 760 x 300 mm	2474.010	2436781	Protective roof for AX, W x D 760 x 300 mm, stainless steel
2475.000	2430378	Rain canopy, for AE stainless steel version, for enclosure with W x D 800 x 300 mm	2475.010	2436782	Protective roof for AX, W x D 800 x 300 mm, stainless steel
1580.000	2430186	Wall mounting bracket, nickel-plated brass, 8 mm distance from wall	1594.010	2436752	Wall mounting bracket, small, stainless steel 1.4301 (AISI 304), 10 mm distance from wall
1594.000	2432543	Wall mounting bracket, stainless steel 1.4301, 8 mm distance from wall	1594.010	2436752	Wall mounting bracket, small, stainless steel 1.4301 (AISI 304), 10 mm distance from wall
2433.000	2432912	Wall mounting bracket, stainless steel 1.4301, 10 mm distance from wall	2433.010	2436772	Wall mounting bracket for AX stainless steel, KX stainless steel, 1.4301 (AISI 304), 20 mm distance from wall
2433.500	-	Wall mounting bracket, stainless steel 1.4404, 10 mm distance from wall	2433.510	2436773	Wall mounting bracket for AX, stainless steel, KX stainless steel, 1.4404 (AISI 316L), 20 mm distance from wall
2584.000	2430220	Pole clamp for KL, EB, BG, AE, KS	2584.100	2436852	Pole clamp for AX, KX
2452.000	-	Lock system Ergoform-S, standard, matt nickel-plated	2435.300	2436776	Comfort handle AX, for lock inserts and profile half-cylinders, stainless steel
2435.000	-	Lock system Ergoform-S, standard, RAL 7035	2435.100	2436774	Comfort handle AX, for lock inserts and profile half-cylinders, RAL 7035
2304.000	2432810	Cam locks, with double-bit insert, made entirely from stainless steel 1.4404	2304.100	2436758	Cam lock for AX, with double-bit insert, stainless steel 1.4404
-	-	-	2309.110	2436760	Cam lock, for E-Box KX and compact enclosure AX, with double-bit insert, stainless steel 1.4404
1593.000	-	Spare quick-release fastener	-	-	This item is no longer required.
1592.010	-	Cover hinge, for KL, stainless steel 1.4404	1592.210	-	Cover hinge for terminal boxes KX, stainless steel 1.4404
2514.500	-	AE plastic wiring plan pocket, usable W x D 340 x 18 mm, height of glazed pane 167 mm	2515.200	2436788	Sheet steel wiring plan pocket for AX, for door width 400/500 mm
			2515.300	2436789	Sheet steel wiring plan pocket for AX, for door width 600 mm
2514.600	-	AE plastic wiring plan pocket, usable W x D 415 x 18 mm	2515.300	2436789	Sheet steel wiring plan pocket for AX, for door width 600 mm
			2515.400	2436790	Sheet steel wiring plan pocket for AX, for door width 760/800 mm
2514.800	-	AE plastic wiring plan pocket, usable W x D 615 x 18 mm, height of glazed pane 167 mm	2515.400	2436790	Sheet steel wiring plan pocket for AX, for door width 760/800 mm
2519.000	2430849	Door stay for AE (except AE 1032.500 and AE 1035.500), mounting at the top	2519.120	-	Door stay for AX stainless steel
2383.210	-	Rails for interior installation, for AE, depth 210 mm	2394.210	2444808	Rail for interior installation in AX compact enclosure, for depth 210 mm
2383.300	-	Rails for interior installation, for AE, depth 300 mm	2394.300	2444809	Rail for interior installation in AX compact enclosure, for depth 300 mm
2574.000	2430363	System mounting block for AE, accessories for interior installation	-	-	This item is no longer required. Function via rail for interior installation AX.
2325.000	2432585	Support strip, for AE, for width 500/1000 mm	8619.710	2406618	Punched section with mounting flange 14 x 39 mm, for door width 500 mm, for mounting on doors with 3-point locking system
2326.000	2430834	Support strip, for AE, for width 600 mm	8619.720	2406619	Punched section with mounting flange 14 x 39 mm, for door width 600 mm, for mounting on doors with 3-point locking system
2328.000	2430836	Support strip, for AE, for width 800 mm	8619.730	2406620	Punched section with mounting flange 14 x 39 mm, for door width 800 mm, for mounting on doors with 3-point locking system
2325.000	2432585	Support strip, for AE, for width 500/1000 mm	4695.000	2432294	Support strip, for outer mounting level W/D 500 mm, for mounting on doors with cam lock
2326.000	2430834	Support strip, for AE, for width 600 mm	4696.000	2432295	Support strip, for outer mounting level W/D 600 mm, for mounting on doors with cam lock
2327.000	2430835	Support strip, for AE, for width 760 mm	4599.200	2400376	Support strip, for door width 760 mm
2328.000	2430836	Support strip, for AE, for width 800 mm	4697.000	2432296	Support strip, for outer mounting level W/D 800 mm, for mounting on doors with cam lock
2310.076	-	Perforated mounting strip, for AE stainless steel, 3,7 mm Ø hole, length 698 mm	2311.076	2436761	Perforated door strip for AX stainless steel, for door height 760 mm
2310.100	-	Perforated mounting strip, for AE stainless steel, 3,7 mm Ø hole, length 938 mm	2311.100	2436762	Perforated door strip for AX stainless steel, for door height 1000 mm
2310.120	-	Perforated mounting strip, for AE stainless steel, 3,7 mm Ø hole, length 1138 mm	2311.120	2436763	Perforated door strip for AX stainless steel, for door height 1200 mm
1560.700	2430160	Mounting plate, for KL and KL-HD, for W x D 150 x 150 mm	1560.800	2436707	Mounting plate, for terminal box KX, bus enclosure KX, W x H 125 x 135 mm
1562.700	2430162	Mounting plate, for KL and KL-HD, for W x D 200 x 200 mm	1562.800	2436711	Mounting plate, for terminal box KX, bus enclosure KX, W x H 175 x 185 mm
1563.700	2430163	Mounting plate, for KL and KL-HD, for W x D 300 x 200 mm	1563.800	2436713	Mounting plate, for terminal box KX, bus enclosure KX, W x H 275 x 185 mm
1564.700	2430164	Mounting plate, for KL and KL-HD, for W x D 400 x 200 mm	1564.800	2436715	Mounting plate, for terminal box KX, bus enclosure KX, W x H 175 x 385 mm
1567.700	2430167	Mounting plate, for KL and KL-HD, for W x D 300 x 300 mm	1567.800	2436721	Mounting plate, for terminal box KX, bus enclosure KX, W x H 275 x 285 mm
1568.700	2430168	Mounting plate, for KL and KL-HD, for W x D 400 x 300 mm	1568.800	2436723	Mounting plate, for terminal box KX, bus enclosure KX, W x H 275 x 385 mm
-		-	2309.100	2436759	Mounting claw for second mounting level, for terminal boxes KX and bus enclosures KX
-		-	4000.300	-	Stainless steel pressure relief stopper, for small enclosures KX and compact enclosures AX

Rittal – The System.

Faster – better – everywhere.



Fast interior installation without machining using system accessories



Comprehensive range of accessories from our modular system



High protection ratings (up to IP 66/IK 10) thanks to the flat design of the enclosure edge fold



Digital wiring plan pocket Rittal ePOCKET for access to constantly up-to-date machine and plant documentation

You can find the contact details of all Rittal companies throughout the world here.



www.rittal.com/contact

SEXWW00265EN2402ENR

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

